Attorney's Docket No.: 07039-501US1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Wettstein et al. Art Unit: 1644

Serial No.: 10/587,925 Examiner: Marianne Dibrino

Filed: December 4, 2006 Conf. No.: 1016

Title : COMPLEXED POLYPEPTIDE AND ADJUVANT FOR IMPROVED

VACCINES

Mail Stop Amendment

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

DECLARATION OF NANCY D. BORSON UNDER 37 C.F.R. § 1.131

I, Nancy D. Borson, hereby declare as follows:

- 1. I am an inventor of the currently pending claims of the above-referenced patent application.
- 2. In an Office Action dated January 6, 2010, claims 1-3, 6, 8, 9, 16, 20, and 24 were rejected under 35 U.S.C. § 103(a) as allegedly being unpatentable over the Schirmbeck et al. reference (J. Immunol., 171:5198-5207 (2003)) in view of the Vives et al. reference (J. Biol. Chem., 272(25):1610-1617 (1997)).
- 3. A printout from PubMed (Exhibit 1) shows the publication date of the Schirmbeck *et al.* reference as being November 15, 2003.
- 4. Prior to November 15, 2003, and thus necessarily before the publication date of the Schirmbeck *et al.* reference, I worked together with Michael A. Strausbauch, Peter J. Wettstein, and Heather A. Hardin in this country to conceive and reduce to practice the invention recited in claims 1-3, 6, 16, 20, and 24 of the above-referenced application, as evidenced by a copy of Michael A. Strausbauch's laboratory notebook pages. The copy of Michael A. Strausbauch's laboratory notebook pages is attached as Exhibit 2. The date, which is earlier than November 15, 2003, was blocked out.

Attorney's Docket No.: 07039-501US1

5. I hereby declare that all statements made herein of my knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

04.07.2010

Date

Mancy D. Borson
Nancy D. Borson


60631576.doc

PubMed

U.S. National Corary of Nedwore National includes of Heath

Display Settings: Abstract

J Immunol. 2003 Nov 15;171(10):5198-207.



Antigenic epitopes fused to cationic peptide bound to oligonucleotides facilitate Toll-like receptor 9-dependent, but CD4+ T cell help-independent, priming of CD8+ T cells.

Schirmbeck R, Riedl P, Zurbriggen R, Akira S, Reimann J.

Department of Medical Microbiology and Immunology, University of Ulm, Ulm, Germany. reinhold.schirmbeck@medizin.uni-ulm.de

A priority in current vaccine research is the development of adjuvants that support the efficient priming of long-lasting, CD4(+) T cell help-independent CD8(+) T cell immunity. Oligodeoxynucleotides (ODN) with immune-stimulating sequences (ISS) containing CpG motifs facilitate the priming of MHC class I-restricted CD8(+) T cell responses to proteins or peptides. We show that the adjuvant effect of ISS(+) ODN on CD8(+) T cell priming to large, recombinant Ag is enhanced by binding them to short, cationic (arginine-rich) peptides that themselves have no adjuvant activity in CD8(+) T cell priming. Fusing antigenic epitopes to cationic (8- to 10-mer) peptides bound to immune-stimulating ISS(+) ODN or nonstimulating NSS(+) ODN (without CpG-containing sequences) generated immunogens that efficiently primed long-lasting, specific CD8(+) T cell immunity of high magnitude. Different MHC class I-binding epitopes fused to short cationic peptides of different origins showed this adjuvant activity. Quantitative ODN binding to cationic peptides strikingly reduced the toxicity of the latter, suggesting that it improves the safety profile of the adjuvant. CD8(+) T cell priming supported by this adjuvant was Toll-like receptor 9 dependent, but required no CD4(+) T cell help. ODN (with or without CpG-containing sequences) are thus potent Th1-promoting adjuvants when bound to cationic peptides covalently linked to antigenic epitopes, a mode of Ag delivery prevailing in many viral nucleocapsids.

PMID: 14607920 [PubMed - indexed for MEDLINE]

Publication Types, MeSH Terms, Substances

LinkOut - more resources

You are here: NCBI > Literature > PubMed

Write to the Help Desk

	Next experiment for pat	in stuff -
	gel shift array.	
	1 Purposes. show	- complexed and
	free - Cpt of	igo mixed ex peptides
	on polygel	and slawn all compand
	2. Hgpo CpG +	his phosphate will from
	- BOUNKA	
	: Complexed É	Non complexed cot + pept! differently in native
	pohr gel	(Reduced & Oxidinal Lorma)
79		
	3. Materials - phly a - gycnol 1 - KCSRN 2 ICASRN	bor londing Ralle
	1- VCSRAV	R-Hy1 X2 = Btotal.
	2 ICASRNA 3 AASANA	Hy1 6 + Cpc Hy1 7 + A-5+-441
	4 ACSAWA	,
	5 Coph	plexact 14 mills
		The Wolfe

- J. more
14 4 4 66 77 6 7
V Harries
Blue note to